



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/037,899	10/22/2001	Oleg Shikhman	INE-0061	6867
23413	7590	12/17/2003		
CANTOR COLBURN, LLP 55 GRIFFIN ROAD SOUTH BLOOMFIELD, CT 06002			EXAMINER BAXTER, JESSICA R	
			ART UNIT 3731	PAPER NUMBER
			DATE MAILED: 12/17/2003	

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/037,899

Applicant(s)

SHIKHMAN ET AL.

Examiner

Jessica R Baxter

Art Unit

3731

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 29 Mar 2002, 25 Jul 2003, 25 Nov 2003.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-64 is/are pending in the application.
- 4a) Of the above claim(s) 15-54 and 60-64 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-14 and 55-59 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. §§ 119 and 120

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 13) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
- a) ☐ The translation of the foreign language provisional application has been received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 2, 7.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1-3, 5-8, 10, 12, 13, 14, 55, 56, 58 and 59 are rejected under 35 U.S.C. 102(b) as being anticipated by U.S. Patent No. 5,643,289 to Sauer et al.

Sauer discloses a crimping and cutting device comprising a hammer head (26) having a first side and an opposite second side, and a ferrule engaging edge (FIG. 8) located on the second side; a tip having a distal end and a proximal end (16), the tip having a hammer head opening for receiving the hammer head (FIG. 8), the hammer head opening extending from the distal end of the tip to the proximal end of the tip, the tip further having a ferrule accepting opening near the distal end of the tip (FIG. 8 securing member 100), and a cutting edge within the hammer head opening, the cutting edge located proximally of the ferrule accepting opening (blade 30), a handle assembly having a trigger (FIG. 1 handle 12), wherein activation of the trigger draws the hammer head proximally within the tip (handle member 48). The device further comprises an adjustment screw within the handle assembly, wherein a length of a central rod connecting the hammer head to the handle assembly is adjustable by the adjustment screw (pin 65), wherein the hammer head further comprises a

Art Unit: 3731

first camming surface located on the first side of the hammer head and the tip comprises a second camming surface near the distal end of the tip and opposite the ferrule accepting opening (FIGS 8 and 9), wherein the movement of the hammer head in a proximal direction directs the hammer head towards the ferrule accepting opening (FIG. 9), wherein the first camming surface and the second camming surface abut flushly when the hammer head is at the distal end of the tip, wherein the first camming surface does not abut the second camming surface when the hammer head is pulled proximally of the ferrule accepting opening, wherein the tip further comprises an aperture between the distal end and the proximal end of the tip, the cutting edge located distally of the aperture (FIG. 9).

Sauer discloses a suture loading assembly for threading suture material through a surgical instrument, the suture loading assembly comprising: a body, an attaching member extending from the body for attaching the body to the surgical instrument; and, a flexible loop extending from a distal end of the body (Column 7 lines 1-21).

3. Claims 1-10, 12, 55 and 56 are rejected under 35 U.S.C. 102(e) as being anticipated by U.S. Patent no. 6,641,592 to Sauer et al.

Regarding claim 1, Sauer discloses a crimping and cutting device comprising: a hammer head (134) having a first side and an opposite second side, and a ferrule engaging edge located on the second side (FIG. 16A); a tip (106) having a distal end and a proximal end, the tip having a hammer head opening for receiving the hammer head (128), the hammer head opening extending from the distal end of the tip to the proximal end of the tip, the tip further having a ferrule accepting opening (138) near the distal end of the tip, and a cutting edge within the hammer head opening (144), the cutting edge located proximally of the ferrule accepting opening.

Regarding claim 2, Sauer discloses that the hammer head further comprises a first camming surface (134a) located on the first side of the hammer head and the tip comprises a second camming surface (128a) near the distal end of the tip and opposite the ferrule accepting opening.

Regarding claim 3, Sauer discloses that movement of the hammer head in a proximal direction directs the hammer head towards the ferrule accepting opening (FIG. 16B and 16C).

Regarding claim 4, Sauer discloses that the second camming surface forms a wall of the hammer head opening and flares outwardly towards the distal end of the tip (FIG. 16A).

Regarding claim 5, Sauer discloses that the first camming surface and the second camming surface abut flushly when the hammer head is at the distal end of the tip (FIG. 16A).

Regarding claim 6, Sauer discloses that the first camming surface does not abut the second camming surface when the hammer head is pulled proximally of the ferrule accepting opening (FIG. 16D).

Regarding claim 7, Sauer discloses that the tip further comprises an aperture (128b) between the distal end and the proximal end of the tip, the cutting edge (144d) located distally of the aperture (FIG 16A).

Regarding claim 8, Sauer discloses that proximal movement of the hammer head within the tip causes the ferrule engaging edge of the hammer head to contact the cutting edge after the hammer head has past the ferrule accepting opening of the tip (FIGS 16A-16F).

Regarding claim 9, Sauer discloses that the tip comprises a distal end outer diameter and a proximal end outer diameter, wherein the outer diameter of the distal end is greater than the outer diameter of the proximal end (FIG 16A).

Regarding claim 10, Sauer discloses a handle assembly having a trigger (116), wherein activation of the trigger draws the hammer head proximally within the tip (Column 14 lines 26-33).

Regarding claim 12, Sauer discloses an adjustment screw within the handle assembly, wherein a length of a central rod connecting the hammer head to the handle assembly is adjustable by the adjustment screw (Column 12 lines 43-65).

Regarding claim 55, Sauer discloses a method of securing suture material using a crimping and cutting device, the method comprising: threading the suture material through a ferrule in the device (FIG 16D suture material 156); moving a hammer head proximally through a tip of the device to crimp the ferrule (FIGS. 16A-16F); continuing to move the hammer head proximally after the ferrule has been crimped entrapping the suture material within the ferrule (FIG. 16E); abutting the hammer head against a cutting edge within the tip (FIGS. 16D-16F), capturing the suture material therebetween; and, applying pressure with the hammer head against the cutting edge until the suture material is cut (FIG. 16E).

Regarding claim 56, Sauer discloses that moving the hammer head proximally comprises squeezing a trigger on a handle assembly of the crimping and cutting device (Column 14 lines 26-33).

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 3731

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 11 and 57 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sauer et al. '289 in view of U.S. Patent No. 5,839,639 to Sauer et al.

Sauer '289 discloses the claimed invention except for the safety button. Sauer '639 teaches that a safety button is provided to prevent premature firing of the anvil assembly (Column 4 lines 27-46 and Column 6 lines 35-48). It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the device of Sauer e'289 with the safety button of Sauer ^{'639}~~'289~~ in order to prevent premature firing of the hammer (anvil) element.

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

U.S. Patent No. 5,520,702 to Sauer et al.

U.S. Patent No. 5,725,536 to Oberlin et al.

U.S. Patent No. 5,782,844 to Yoon et al.

U.S. Patent No. 6,569,187 to Bonutti et al.

PG-PUB 2003/0204205 to Sauer et al.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jessica R Baxter whose telephone number is 703-305-4069. The examiner can normally be reached on M-F 8:30AM - 5:00PM.


Art Unit: 3731

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Milano can be reached on 703-308-2496. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0858.

Jessica R Baxter
Examiner
Art Unit 3731


jrb


MICHAEL J. MILANO
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700